

KITCHEN SCALE



KITCHEN SCALE

Model No.: K7912

High precision strain gauge sensors system
 Tempered glass platform:205x165x4mm
 Max capacity/Division:5kg/1g, 3kg/1g
 Unit: g,oz,lb:oz,ml
 LCD display size:54x21mm
 Touch button with tare function
 Auto off function
 Overload and low battery indication
 Power:1x3V CR2032 lithium battery

Product size:205x165x18mm
 Color box size:215x175x35mm
 Carton size:365x190x235mm
 Qty/Ctn:10pcs
 N.W.:4.5kg/ctn G.W.:6.0kg/ctn
 20'GP:17500pcs 40'GP: 36250pcs
 40'HQ:42500pcs



Model No.: K7912C

High precision strain gauge sensors system
 Tempered glass platform:205x165x4mm
 Max capacity/Division:5kg/1g, 3kg/1g
 Unit: g,oz,lb:oz,ml
 LCD display size:54x21mm
 Touch button with tare function
 Auto off function
 Overload and low battery indication
 Power:1x3V CR2032 lithium battery



NEW

Product size:205x165x18mm
 Color box size:215x175x35mm
 Carton size:365x190x235mm
 Qty/Ctn: 10pcs
 N.W.:4.5kg/ctn G.W.:6.0kg/ctn
 20'GP:17500pcs 40'GP: 36250pcs
 40'HQ:42500pcs



NEW

KITCHEN SCALE

Model No.: **K7959**



High precision strain gauge sensors system
Stainless steel platform: $\phi 145\text{mm}$
Max capacity: 6kg d=0.05g/0.1g
Unit: g, oz, lb, oz, ml, fl. oz, lb, kg
LCD display size: 67x26mm
Data lock and tare function
2/5Min Auto off function
Overload and low battery indication
Power: 2x1.5V AAA batteries

Product size: 210x155x23mmmm
Color box size: 230x170x35mm
Carton size: 365x185x245mm
Qty/Ctn: 10pcs
N.W.: 3.5kg/ctn G.W.: 4.5kg/ctn
20'GP: 16470pcs 40'GP: 34110pcs
40'HQ: 40000pcs

Model No.: **K7912S**



High precision strain gauge sensors system
Tempered glass platform: 205x165x4mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, oz, lb, oz, ml
LCD display size: 54x21mm
Touch button with tare function
Auto off function
Overload and low battery indication
Power: 1x3V CR2032 lithium battery

Product size: 205x165x18mm
Color box size: 215x175x35mm
Carton size: 365x190x235mm
Qty/Ctn: 10pcs
N.W.: 4.5kg/ctn G.W.: 6.0kg/ctn
20'GP: 17500pcs 40'GP: 36250pcs
40'HQ: 42500pcs

KITCHEN SCALE

Model No.: **K7917**

High precision strain gauge sensors system
Tempered glass platform:230x165x4mm
Max capacity/Division:5kg/1g, 10kg/1g
Unit: g,oz,lb:oz,ml
LCD display size:54x21mm
Touch button with tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries



Product size:230x165x18mm
Color box size:242x175x32mm
Carton size:335x190x260mm
Qty/Ctn:10pcs
N.W.:6.0kg/ctn G.W.:6.5kg/ctn
20'GP:16860pcs 40'GP: 34930pcs
40'HQ:40960pcs

Model No.: **K7917R**

High precision strain gauge sensors system
Tempered glass platform:248x190x4mm
Max capacity/Division:5kg/1g, 10kg/1g
Unit: g,oz,lb:oz,ml
LCD display size:54x21mm
Touch button with tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries



Product size:248x190x18mm
Color box size:265x205x35mm
Carton size:365x220x280mm
Qty/Ctn: 10pcs
N.W.:7.5kg/ctn G.W.:8.0kg/ctn
20'GP:12720pcs 40'GP: 26360pcs
40'HQ:30900pcs



KITCHEN SCALE



Model No.: **K7917S**

High precision strain gauge sensors system
Tempered glass platform:230x165x4mm
Max capacity/Division:5kg/1g,10kg/1g
Unit: g,oz,lb:oz,ml
LCD display size:54x21mm
Touch button with tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries

Product size:230x165x18mm
Color box size:242x175x32mm
Carton size:335x190x260mm
Qty/Ctn:10pcs
N.W.:6.0kg/ctn G.W.:6.5kg/ctn
20'GP:16860pcs 40'GP: 34930pcs
40'HQ:40960pcs



Model No.: **K7917B**

High precision strain gauge sensors system
Tempered glass platform:248x190x4mm
Max capacity/Division:5kg/1g,10kg/1g
Unit: g,oz,lb:oz,ml
LCD display size:54x21mm
Touch button with tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries

Product size:248x190x18mm
Color box size:265x205x35mm
Carton size:365x220x280mm
Qty/Ctn: 10pcs
N.W.:7.5kg/ctn G.W.:8.0kg/ctn
20'GP:12720pcs 40'GP: 26360pcs
40'HQ:30900pcs

KITCHEN SCALE

Model No.: **K7909**

High precision strain gauge sensors system
Stainless steel platform +ABS plastic
Max Capacity/Division: 5kg/1g
White LCD display: 40x17mm
Tare function
Auto off function
Overload and low battery indication
Power by 2x1.5V AAA batteries



Product size: 180x140x17mm
Color box size: 203x163x30mm
Carton size: 375x180x220mm
Qty/Ctn: 12pcs
N.W.: 3.0kg/ctn G.W.: 4.5kg/ctn
20'GP: 23200pcs 40'GP: 48000pcs
40'HQ: 56000pcs

Model No.: **K7810**

High precision strain gauge sensors system
ABS plastic base+ clear bowl 600ml
Max capacity/Division: 3kg/1g, 5kg/1g
Unit: g, kg, lb:oz, oz
LCD display: 46x16mm
Tare function
Overload and low battery indication
Power by 2x1.5V AAA batteries



Product size: 190x162x80mm
Color box size: 175x162x80mm
Carton size: 500x195x348mm
Qty/Ctn: 12pcs
N.W.: 3.5kg/ctn G.W.: 4.5kg/ctn
20'GP: 9876pcs 40'GP: 20460pcs
40'HQ: 26000pcs



KITCHEN SCALE

Model No.: **K7940**



High precision strain gauge sensors system
Stainless steel platform
Capacity/Division: 10kg/1g
Unit: g, lb, oz, ml
White LCD display: 50x22mm
Include backlit
Tare function
Auto off function
Overload and low battery indication
Power by 3x1.5V AAA batteries

Product size: 212x156x28mm
Color box size: 230x170x35mm
Carton size: 365x185x245mm
Qty/Ctn: 10pcs
N.W.: 3.5kg/ctn G.W.: 4.5kg/ctn
20'GP: 16470pcs 40'GP: 34110pcs
40'HQ: 40000pcs

IPX7



WATERPROOF

Model No.: **K7958**

High precision strain gauge sensors system
Stainless steel platform
Capacity/Division: 10kg/1g
Unit: g, lb, oz, ml
White LCD display: 50x22mm
Include backlit
Tare function
Auto off function
Overload and low battery indication
Power: 3x1.5V AAA battery
Optional: Built in 3.7V Rechargeable battery
Data lock function
Countdown Timer

Product size: 212x156x28mm
Color box size: 230x170x35mm
Carton size: 365x185x245mm
Qty/Ctn: 10pcs
N.W.: 3.5kg/ctn G.W.: 4.5kg/ctn
20'GP: 164700pcs 40'GP: 34110pcs
40'HQ: 40000pcs

KITCHEN SCALE

Model No.: K7960

High precision strain gauge sensors system
Tempered glass+ S/S platform: 180x220mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, kg, oz, lb, tl, ml
LCD size: 48x19mm with backlight
Auto off function and tare function
Overload and low battery indication
Power: 2x1.5V AAA battery

Product size: 180x220x18mm
Color box size: 240x210x40mm
Carton size: 435x420x260mm
Qty/Ctn: 20pcs
N.W.: 8.4kg/ctn G.W.: 9.0kg/ctn
20'GP: 11800pcs 40'GP: 24400pcs
40'HQ: 28600pcs



Model No.: K7961

High precision strain gauge sensors system
Plastic+S/S platform: 188x140mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, kg, oz, lb, tl, ml
LCD size: 40x18mm with backlight
Auto off function and tare function
Overload and low battery indication
Power: 2x1.5V AAA battery

Product size: 188x140x16mm
Color box size: 210x145x20mm
Carton size: 305x220x230mm
Qty/Ctn: 20pcs
N.W.: 5.0kg/ctn G.W.: 5.5kg/ctn
20'GP: 36300pcs 40'GP: 75160pcs
40'HQ: 88000pcs



Model No.: K7906

High precision strain gauge sensors system
Plastic+ S/S platform: 200x140mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, kg, oz, lb, tl, ml
LCD size: 50x22mm with backlight
Auto off function and tare function
Overload and low battery indication
Power by 3x1.5V AAA battery

Product size: 200x140x16mm
Color box size: 220x145x20mm
Carton size: 305x220x240mm
Qty/Ctn: 20pcs
N.W.: 5.6kg/ctn G.W.: 6.3kg/ctn
20'GP: 34780pcs 40'GP: 72000pcs
40'HQ: 84400pcs



KITCHEN SCALE

Model No.: **K7923**



High precision strain gauge sensors system
Stainless steel platform
Max capacity/Division: 5kg/1g, 10kg/1g, 15kg/1g
LCD display: 56x23mm with backlight
Unit: g, oz, kg, lb, ml
Touch button with tare function
With Hidden hanging ring
Auto off function
Overload and low battery indication
Power by 2x1.5V AAA batteries

Product size: 225x165x18mm
Color box size: 253x185x30mm
Carton size: 315x200x270mm
Qty/Ctn: 10pcs
N.W.: 3.5kg/ctn G.W.: 4.5kg/ctn
20'GP: 16470PCS, 40'GP: 34110PCS,
40'HQ: 40000PCS

Model No.: **K7919**



High precision strain gauge sensors system
Wide Stainless Steel Platform
Max capacity: 20kg, Division: 1g
Unit: g, kg, lb:oz, fl'oz, ml
LCD size: 55x23mm
Auto Zero, Auto off function
Tare function
Overload and low battery indication
Power: 2x1.5V AAA batteries




Product size: 300x250x30mm Color box size: 310x260x40mm
Carton size: 330x280x420mm
Qty/Ctn: 10pcs
N.W.: 12.0kgs/ctn G.W.: 13.5kgs/ctn
20'GP: 7200pcs 40'GP: 14950pcs
40'HQ: 17500pcs

KITCHEN SCALE

Model No.: **K7911/K7911C**

High precision strain gauge sensors system
 Tempered glass platform: $\phi 190 \times 4 \text{mm}$
 Max capacity/Division: 5kg/1g, 3kg/1g
 Unit: g, oz, lb, oz, ml
 LCD display size: 54x21mm
 Touch button with tare function
 Auto off function
 Overload and low battery indication
 Power: 1x3V CR2032 lithium battery

Product size: 190x190x18mm
 Color box size: 200x200x30mm
 Carton size: 315x215x220mm
 Qty/Ctn: 10pcs
 N.W.: 4.5kg/ctn G.W.: 6.0kg/ctn
 20'GP: 18660pcs 40'GP: 38660pcs
 40'HQ: 45330pcs



Model No.: **K7937**

High precision strain gauge sensors system
 Plastic+Stainless steel platform: $\phi 200 \text{mm}$
 Max capacity/Division: 5kg/1g, 3kg/1g
 Unit: g, lb, oz, ml
 LCD display size: 40x18mm with backlight
 Touch button with tare function
 Auto off function
 Overload and low battery indication
 Power: 3X1.5V AAA batteries

Product size: 200x200x18mm
 Color box size: 210x210x20mm
 Carton size: 220x220x435mm
 Qty/Ctn: 10pcs
 N.W.: 8.4kgs/ctn G.W.: 9.0kgs/ctn 20'
 GP: 26540pcs, 40'GP: 54960pcs, 40'
 HQ: 64440pcs



KITCHEN SCALE


Model No.: **K7910**



High precision strain gauge sensors system
Stainless steel platform+ ABS plastic
Capacity/Division:5kg/1g
White LCD size:40x17mm
Tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries

Product size: 215x180x18mm Color box
size: 228x 195x 30mm
Carton size: 315x210x245mm
Qty/Ctn:10pcs
N.W.: 3.0kg/ctn G.W.:4.5kg/ctn
20'GP:17500pcs 40'GP: 36250pcs
40'HQ:42500pcs

Model No.: **K7803**



High precision strain gauge sensors system
Plastic+S/S platform :188x130mm
Max capacity/Division:5kg/1g,3kg/1g
Unit: g,oz,lb
LCD display size:40x18mm with backlight
Tare function
Auto off function
Overload and low battery indication
Power:2x1.5V AAA batteries

Product size:180x130x18mm Color
box size:200x135x20mm
Carton size:285x220x220mm
Qty/Ctn: 20pcs
N.W.: 7.0kgs/ctn G.W.:7.5kgs/ctn
20'GP:40560pcs 40'GP: 84000pcs
40'HQ:98540pcs

KITCHEN SCALE



Model No.: **K7951**

High precision strain gauge sensors system
Round stainless steel kitchen scale
2.5L Bowl
Scale size: 190x190x105mm
Capacity/Division: 5kg/1g
Unit: g, ml, oz, lb'oz
LCD size: 40X17mm
Blue backlight with white LC display
Include oil fingerprint
With hidden hanging ring
Tare function
Auto off function
Overload and low battery indication
Power: 2X1.5V AAA batteries

Product size: 190x190x105mm
Color box size: 193x193x120mm
Carton size: 400x400x255mm
Qty/Ctn: 8pcs
N.W.: 4.0kgs/ctn G.W.: 5.5kgs/ctn
20'GP: 5600pcs, 40'GP: 11600pcs,
40'HQ: 13600pcs

KITCHEN SCALE



Model No.: **K7938**

Product size: 222x190x110mm
Color box size: 190x190x77mm
Carton size: 435x335x220mm
Qty/Ctn: 8pcs
N.W.: 3.0kg/ctn G.W.: 4.0kg/ctn
20'GP: 7000PCS, 40'GP: 21088PCS,
40H'Q: 17000PCS

High precision strain gauge sensors system
Big bowl: 1.2L; Small bowl: 0.6L
Max capacity/Division: 5kg/1g; 3kg/1g
Unit: g, oz, lb
LCD display: 40x17mm with backlight
Auto off function & Tare function
Overload and low battery indication
Power: 2x1.5V AAA batteries

KITCHEN SCALE

Model No.: **K7952**

High precision strain gauge sensors system
 ABS plastic platform
 Capacity/Division: 5kg/1g
 Red LED display: 60x23mm
 Unit: g, kg, oz, lb:oz, ml
 Three function: weighing, water and milk
 Tare function
 Auto off function
 Overload and low battery indication
 Power: 2x1.5V AAA batteries



Product size: 205x155x17mm
 Color box size: 220x160x28mm
 Carton size: 295x175x235mm
 Qty/Ctn: 10pcs
 N.W.: 3.0kg/ctn G.W.: 4.5kg/ctn
 20'GP: 23330PCS, 40'GP: 48330PCS,
 40'HQ: 56660PCS



Model No.: **K7928**

High precision strain gauge sensors system
 Plastic platform: 175x125mm
 Max capacity/Division: 5kg/1g
 Unit: g, oz, lb:oz, kg
 LCD display size: 46x17mm
 Tare function
 Auto off function
 Overload and low battery indication
 Power: 2x1.5V AAA batteries

Product size: 175x125x25mm
 Color box size: 192X132X36mm
 Carton size: 375x280x210mm
 Qty/Ctn: 20pcs
 N.W.: 4.5kgs/ctn G.W.: 7.0kgs/ctn
 20'GP: 25400pcs 40'GP: 52600pcs
 40'HQ: 61800pcs



KITCHEN SCALE

Model No.: **K7907**



High precision strain gauge sensors system
Plastic bowl: 0.8L
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, oz, kg, lb
LCD display size: 45x18mm
Tare function
Auto off function
Overload and low battery indication
Power: 1x3V CR2032 lithium battery

Product size: 183x205x60mm Color box
size: 218x198x70mm
Carton size: 415x365x455mm
Qty/Ctn: 20pcs
N.W.: 8.0kg/ctn G.W.: 9.0kg/ctn
20'GP: 7800PCS, 40'GP: 16600PCS
40'HQ: 19440PCS

Model No.: **K7920**




High precision strain gauge sensors system
Tempered glass platform: $\phi 150 \times 3$ mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, oz, lb
LCD display size: 47x15mm
Tare function
Auto off function
Overload and low battery indication
Power: 2x1.5V AAA batteries

Product size: 195x150x45mm
Color box size: 215x155x60mm
Carton size: 315x230x325mm
Qty/Ctn: 10pcs
N.W.: 4.5kg/ctn G.W.: 5.0kg/ctn
20'GP: 12000pcs 40'GP: 24600pcs
40'HQ: 23600pcs

BLUETOOTH SCALE



APP Download
(IOS & Android)



Model No.: **BT8801/BT8801S**

High precision strain gauge sensors system
Tempered glass platform: 230X165X4mm
Option: Stainless steel platform
Max capacity/Division: 5kg/1g
Unit: g, lb, oz, ml
LCD display size: 54x21mm with blue backlight
Touch button with tare function
Auto off function
Overload and low battery indication
Power: 2X1.5V AAA batteries

Bluetooth function:
Weight, Calories, Protein, Fat, Carbohydrate, Dietary Fiber, Cholesterol, Sod etc.
Weights and tracks nutritional intake
Analyses kinds of foods, ingredients and liquids

Product size: 230x165x18mm
Color box size: 242x175x32mm
Carton size: 335x190x260mm
Qty/Ctn: 10pcs
N.W.: 6.0kg/ctn
20'GP: 16860pcs
40'HQ: 40960pcs
G.W.: 6.5kg/ctn
40'GP: 34930pcs

KITCHEN SCALE



Model No.: **K7918**

High precision strain gauge sensors system
 Mirror Tempered Glass platform: 243x193x3mm
 Max capacity/Division: 5kg/1g, 3kg/1g
 Unit: g, oz, kg, lb:oz, ml
Red/Green/White LED display:65x30mm
Multi-function: milk, water and weighing
 Touch button at front side
 Auto off and tare function
 Overload and low battery indication
 Power: 3x1.5V AAA batteries



Product size:243x193x23mm
 Color box size: 280x215x40mm
 Carton size: 420x220x295mm
 Qty/Ctn:10pcs
 N.W.: 5.3kg/ctn G.W.:7.5kg/ctn
 20'GP:10250PCS, 40'GP: 21250PCS,
 40'HQ: 24900PCS

Model No.: **K7943**

High precision strain gauge sensors system
 Max capacity/Division:5kg/1g
 Unit: g, oz, lb
 LCD display size:40x18mm
 Tare function
 Auto off function
 Overload and low battery indication
 Power: 1x3V CR2032 lithium battery



Product size: 216x163x63mm
 Color box size: 183x188x70mm
 Carton size: 365x200x395mm
 Qty/Ctn:10pcs
 N.W.: 4.0KG/ctn G.W.: 4.5KG/ctn
 20'GP:9800PCS, 40'GP: 20200PCS,
 40'HQ: 23600PCS

WATER PROOF SCALE



Model No.: **K7942**

High precision strain gauge sensors system
Tempered glass platform :220x170x5mm
IP67 waterproof
Max capacity/Division: 5kg/1g
Unit: g, oz, lb:oz, ml, fl.oz
LCD display size: 50x20mm
Tare function
Auto off function
Overload and low battery indication
Power: 2x3V CR2032 lithium battery

Product size: 220x170x18mm
Color box size: 235x185x35mm
Carton size: 365x200x250mm
Qty/Ctn: 10pcs
N.W.: 5.5kg/ctn G.W.:7.5kg/ctn
20'GP: 15550pcs 40'GP: 32220pcs
40'HQ: 37770pcs

NUTRITIONAL KITCHENSCALE

Model No.: **N8001**



High precision strain gauge sensors system
Tempered glass platform: 220x175x4mm
Max capacity/Division: 5kg/1g, 3kg/1g
Unit: g, oz, fl:oz, ml

Large LCD size: 62x44 mm

Auto off function and tare function
Overload and low battery indication

Weights and tracks nutritional intake

Memory: 99 Entry

Calculates: calories, fat, cholesterol, fiber, protein, sodium, carbohydrates

Analyses 999 kinds of foods, ingredients and liquids
Nutritional value displays directly on each segments of the LCD

Measures in fine increments of 1g/0.1oz

Power: 4x1.5V AAA batteries



Product size: 220x170x25mm
Color box size: 235x181x35mm
Carton size: 300x196x255mm
Qty/Ctn: 8pcs

N.W.: 5.5kgs/ctn

G.W.: 6.8kgs/ctn

20'GP: 14928pcs

40'GP: 30928pcs

40'HQ: 36264pcs

Model No.: **N8002**

High precision strain gauge sensors system

Tempered glass platform: 230x160x4mm

Max capacity/Division: 5kg/1g, 3kg/1g

Unit: g, oz, lb:oz, ml

Large LCD size: 62x44mm

Auto off function and tare function

Overload and low battery indication

Weights and tracks nutritional intake

Memory: 99 Entry

Calculates: calories, fat, cholesterol, fiber, protein, sodium, carbohydrates

Analyses 999 kinds of foods, ingredients and liquids

Nutritional value displays directly on each segments of the LCD

Measures in fine increments of 1g/0.1oz

Power: 3x1.5V AAA batteries



Product size: 230x160x17mm
Color box size: 246x175x38mm
Carton size: 395x190x261mm
Qty/Ctn: 10pcs

N.W.: 6.7kgs/ctn

G.W.: 8.2kgs/ctn

20'GP: 14000pcs

40'GP: 29000pcs

40'HQ: 34000pcs

COFFEE KITCHEN SCALE

Model No.: **K7916**

High precision strain gauge sensors system
Plastic platform: 135x130mm
Max capacity/Division: 5kg/0.1g, 3kg/0.1g
Unit: g, oz, lb
LCD display size: 85x15mm
Tare function
Auto off function
Overload and low battery indication
Power: 2x1.5V AAA battery
Timer function
Beep indication function



Product size: 139x135x39mm
Color box size: 150x145x50mm
Carton size: 315x265x305mm
Qty/Ctn: 20pcs
N.W.:6.2KG/ctn G.W.: 7.0KG/ctn
20'GP:28600PCS, 40'GP: 59000PCS,
40'HQ: 69000PCS



Model No.: **K7933**

High precision strain gauge sensors system
Plastic platform: 127x127mm
Max capacity/Division: 3kg/0.1g, 5kg/0.1g
Unit: g, oz, lb, ml
LCD display size: 64x26mm with green backlight
Tare function
Auto off function
Overload and low battery indication
Power: 2x1.5V AAA batteries
Timer function
Beep indication function

Product size: 200x130x25mm
Color box size: 228x150x48mm
Carton size: 495x315x245mm
Qty/Ctn: 20pcs
N.W.:6.4KG/ctn G.W.: 7.0KG/ctn
20'GP: 14800PCS, 40'GP: 30500PCS,
40'HQ: 35600PCS



COFFEE KITCHEN SCALE

Model No.: **K7953**

High precision strain gauge sensors system

Colorful stainless steel platform

Max capacity: 10kg

Division: 1g-999g/0.1g; 1kg-10kg/1g

LED or LCD display: 60x28mm

Unit: g, lb, oz, ml

Touch buttons

Clock and timer function

Tare function and Auto off function

Overload and low battery indication

Power supply by two ways:

1) 3x1.5V AAA batteries

2) 3.7V-12V DC power supply

Product size: 200x145x28mm Color box

size: 215x160x35mm

Carton size: 365x175x230mm

Qty/Ctn: 10pcs

N.W.: 3.0KG/ctn

G.W.: 4.5KG/ctn

20G'P: 18660PCS,

40'GP: 38660PCS,

40'HQ: 45330PCS

Model No.: **K7953T**

High precision strain gauge sensors system

Colorful stainless steel platform

Max capacity: 10kg

Division: 1g-999g/0.1g; 1kg-10kg/1g

LCD display: 60x28mm

Unit: g, lb, oz, ml

Touch screen

Liquid temperature function

Clock and count down function

Tare function and Auto off function

Overload and low battery indication

Power supply by two ways:

1) 3x1.5V AAA batteries

2) 3.7V-12V DC power supply

Product size: 200x145x28mm

Color box size: 215x160x35mm

Carton size: 365x175x230mm

Qty/Ctn: 10pcs

N.W.: 3.0KG/ctn

G.W.: 4.5KG/ctn

20G'P: 18660PCS,

40'GP: 38660PCS,

40'HQ: 45330PCS

COFFEE KITCHEN SCALE

Model No.: **K7913**

High precision strain gauge sensors system
Plastic platform: 102x95mm
Max capacity/Division: 3kg/0.1g
Unit: g, oz, lb, ml
LCD size: 53x17mm with backlight
Auto off function and tare function
Overload and low battery indication
Power: 2x1.5V AAA batteries
Timer function
Beep indication function

Product size: 135x105x20mm
Color box size: 155x125x23mm
Carton size: 265x245x330mm
Qty/Ctn: 40pcs
N.W.: 6.4KG/ctn G.W.: 7.0KG/ctn
20'GP: 52000PCS, 40'GP: 108000PCS,
40'HQ: 126000PCS



Model No.: **K7914**

High precision strain gauge sensors system
Plastic platform: 102x95mm
Max capacity/Division: 3kg/0.1g
Unit: g, oz, lb, ml
LED size: 53x17mm
Auto off function and tare function
Overload and low battery indication
Power: 2x1.5V AAA batteries
Timer function
Beep indication function

Product size: 135x105x20mm
Color box size: 155x125x23mm
Carton size: 265x245x330mm
Qty/Ctn: 40pcs
N.W.: 6.4KG/ctn G.W.: 7.0KG/ctn
20'GP: 52000PCS, 40'GP: 108000PCS
40'HQ: 126000PCS



KITCHEN SCALE



Model No.: **K7956**

Product size: 232x57x24mm
Color box size: 250x84x28mm
Carton size: 366x298x537mm
Qty/Ctn: 80pcs
N.W.: 8.0KG/ctn G.W.: 8.5KG/ctn
20'GP: 38000pcs 40'GP: 79000pcs
40'HQ: 93000pcs

High precision strain gauge sensors system
Plastic spoon 30ml
Max capacity/ Division: 500g/0.1g
Unit: g, oz, ct, gn
LCD size: 47x15mm
Tare function
Auto off function
Overload and low battery indication
Power: 1x3V CR2032 lithium battery

Paibon

AINICIA GROUP

◆ Professional Household Scale Supplier

Digital kitchen scale, bathroom scale, travel luggage scale, fishing scale, jewelry scale, baby scale, pets scale, talking scale and bluetooth scale, travel belt with lock etc.

◆ Over 18 years experience

to deal with all kinds of household scales.

◆ Main market

Europe, Americas, Australasia, Middle East, etc

◆ All products are compliant with local market requirements.

CE, RoHS, FCC etc basic requirement is no any problem.

◆ Production capacity:

Over 200000 units monthly.

◆ OEM or ODM projects are welcome!



PAIBON DEVELOPMENT CO., LTD
ZHONGSHAN PAIBON ELECTRONIC TECH. CO., LTD
AINICIA GROUP CO., LTD

Address: No.37-1 Industrial Avenue, Banfu Town,
Zhongshan City, Guangdong Province, China

Tel: 86-760-8633 8260 Fax: 86-760-8693 8170

E-mail: nick@paibon.com

Web: www.paibonscale.com

www.paibon.com

www.ainicia-group.com